

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 05/28/2015

Revision date. 05/20/2015			
SECTION 1: Identification of the substance/mixture and of the company/undertaking			
1.1. Product identifier Product form Product form	: Mixture		
Product name Product code	: 151, DURAGLOSS FIBERGLASS POLISH & CLEANER : Part #151 8oz, 152 Gal		
1.2. Relevant identified uses of the substa	ance or mixture and uses advised against		
1.3. Details of the supplier of the safety d	ata sheet		
Brothers Research Corporation 2245 Airpark Drive Burlington, NC 27216 T 336-229-6480			
1.4. Emergency telephone number			
Emergency number	: 800-424-9300 Chemtrec		
SECTION 2: Hazards identification			
2.1. Classification of the substance or mi	xture		
Classification (GHS-US)			
Flam. Liq. 4 STOT RE 1	H227 H372		
Full text of H-phrases: see section 16			
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	: GH508		
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	: H227 - Combustible liquid H372 - Causes damage to organs through prolonged or repeated exposure		
Precautionary statements (GHS-US)	 P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking P260 - Do not breathe dust/fume/gas/mist/vapors/spray P264 - Wash thoroughly after handling P270 - Do not eat, drink or smoke when using this product P280 - Wear eye protection, face protection, protective clothing, protective gloves P314 - Get medical advice/attention if you feel unwell P370+P378 - In case of fire: Use carbon dioxide (CO2), foam, dry extinguishing powder to extinguish P403+P235 - Store in a well-ventilated place. Keep cool P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation 		
2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GHS-US)			
Not applicable			
SECTION 3: Composition/information	i on ingredients		
3.1. Substance			
Not applicable 3.2. Mixture			
J.Z. WIXIUIE			

08/04/2016

Name	Product identifier	%	Classification (GHS-US)
nydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	(CAS No) 64742-47-8	10 - 15	Flam. Liq. 4, H227 Asp. Tox. 1, H304
olvent naphtha(petroleum), medium aliph.	(CAS No) 64742-88-7	3 - 9	STOT RE 1, H372 Asp. Tox. 1, H304
I text of H-phrases: see section 16			
ECTION 4: First aid measures			
1. Description of first aid measures			
	ver give anything by mouth to an undice (show the label where possible).		f you feel unwell, seek medical
rst-aid measures after inhalation : Allo	w victim to breathe fresh air. Allow t	he victim to rest.	
	nove affected clothing and wash all warm water rinse.	exposed skin area	with mild soap and water, followed
	se immediately with plenty of water. sist.	Obtain medical atte	ention if pain, blinking or redness
rst-aid measures after ingestion : Rin	se mouth. Do NOT induce vomiting.	Obtain emergency	medical attention.
2. Most important symptoms and effects, bot	h acute and delayed		
/mptoms/injuries : Not	expected to present a significant ha	azard under anticipa	ated conditions of normal use.
3. Indication of any immediate medical attent	ion and special treatment needed		
o additional information available			
ECTION 5: Firefighting measures			
1. Extinguishing media			
uitable extinguishing media : Foa	m. Dry powder. Carbon dioxide. Wa	ter spray. Sand.	
	not use a heavy water stream.		
2. Special hazards arising from the substance	or mixture		
	nbustible liquid.		
3. Advice for firefighters refighting instructions : Use	e water spray or fog for cooling expo	sed containers. Ex	arcise caution when fighting any
	mical fire. Prevent fire-fighting water		
rotection during firefighting : Do	not enter fire area without proper pr	otective equipment	, including respiratory protection.
ECTION 6: Accidental release measures			
1. Personal precautions, protective equipmer	t and emergency procedures		
1.1. For non-emergency personnel			
nergency procedures : Eva	cuate unnecessary personnel.		
1.2. For emergency responders			
	ip cleanup crew with proper protect	ion.	
	itilate area.		
2. Environmental precautions			
event entry to sewers and public waters. Notify author	ities if liquid enters sewers or public	waters.	
3. Methods and material for containment and	· ·		
	• •	clay or diatomaced	ous earth as soon as possible. Collec
	lage. Store away from other materia		
4. Reference to other sections			
ee Heading 8. Exposure controls and personal protect	on.		
ECTION 7: Handling and storage			
1. Precautions for safe handling			
recautions for safe handling : Wa	sh hands and other exposed areas sking and when leaving work. Provid apor.	•	water before eating, drinking or in process area to prevent formation

2. Conditions for	or safe storage, including any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
7.3. Specific end	use(s)
No additional information	n available
SECTION 8: Expo	sure controls/personal protection
8.1. Control para	neters
151, DURAGLOSS FI	BERGLASS POLISH & CLEANER
ACGIH	Not applicable
OSHA	Not applicable
hydrocarbons, C11-C	14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)
ACGIH	Not applicable
OSHA	Not applicable
solvent naphtha(petr	oleum), medium aliph. (64742-88-7)
ACGIH	Not applicable
OSHA	Not applicable

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Respiratory protection	: Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties	SECTION 9	9: Physical	and chemical	properties
---	-----------	-------------	--------------	------------

9.1. Information on basic physical and	I chemical properties
Physical state	: Liquid
Appearance	: Creamy Liquid.
Color	: Creamy Gray
Odor	: Sweet
Odor threshold	: No data available
рН	: 8-9
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: NA
Freezing point	: No data available
Boiling point	: 370 - 550 °F F @ 760 mmHg
Flash point	: 108 °F
Auto-ignition temperature	: 420 °F
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: < 1 mm Hg @ mmHg 77.0 F
Relative vapor density at 20 °C	: No data available
Relative density	: 0.9 @ 60.0 F
Solubility	: Soluble in water. Water: < 0.01
Log Pow	: No data available

according to Federal Register / Vol. 77, No. 58 / Monday,	March 26, 2012 / Rules and Regulations
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Not established.	
10.3. Possibility of hazardous reactions	
Not established.	
10.4. Conditions to avoid	
Direct sunlight. Extremely high or low temperature	es.
10.5. Incompatible materials	
Strong acids. Strong bases.	
10.6. Hazardous decomposition products	
fume. Carbon monoxide. Carbon dioxide.	
SECTION 11: Toxicological informati	on
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
hydrocarbons, C11-C14, n-alkanes, isoalkan	es. cvclics. < 2% aromatics (64742-47-8)
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Literature)
solvent naphtha(petroleum), medium aliph. ((64742-88-7)
LD50 oral rat	> 5000 mg/kg body weight (Rat; Equivalent or similar to OECD 420; Experimental value)
LD50 dermal rabbit	 > 2000 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402)
Skin corrosion/irritation	: Not classified
	pH: 8 - 9
Serious eye damage/irritation	: Not classified
	pH: 8 - 9
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Potential Adverse human health effects and	: Based on available data, the classification criteria are not met.
symptoms	
· ·	
SECTION 12: Ecological information	
SECTION 12: Ecological information	

hydrocarbons, C11-C14, n-alkanes, isc	palkanes, cyclics, < 2% aromatics (64742-47-8)
LC50 fish 1	> 100 mg/l (Pisces)
EC50 Daphnia 1	> 100 mg/l (Invertebrata)
Threshold limit algae 1	> 100 mg/l (Algae)
solvent naphtha(petroleum), medium a	aliph. (64742-88-7)
LC50 fish 1	2 - 5 mg/l (LL50; OECD 203: Fish, Acute Toxicity Test; 96 h; Oncorhynchus mykiss; Semi- static system; Fresh water; Experimental value)
EC50 Daphnia 1	1.4 mg/l (EL50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
Threshold limit algae 1	1 - 3,EL50; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Experimental value
12.2. Persistence and degradability	
151, DURAGLOSS FIBERGLASS POLIS	SH & CLEANER
Persistence and degradability	Not established.
	$\frac{1}{2}$
Persistence and degradability	balkanes, cyclics, < 2% aromatics (64742-47-8) Readily biodegradable in water. Adsorbs into the soil.
solvent naphtha(petroleum), medium a	
Persistence and degradability	Readily biodegradable in water. Adsorbs into the soil.
2.3. Bioaccumulative potential	
151, DURAGLOSS FIBERGLASS POLIS	SH & CLEANER
Bioaccumulative potential	Not established.
hydrocarbons, C11-C14, n-alkanes, iso	palkanes, cyclics, < 2% aromatics (64742-47-8)
Log Pow	6 - 8.2
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).
solvent naphtha(petroleum), medium a	
Bioaccumulative potential	No bioaccumulation data available.
•	
12.4. Mobility in soil	
hydrocarbons, C11-C14, n-alkanes, iso	palkanes, cyclics, < 2% aromatics (64742-47-8)
Surface tension	0.026 N/m (20 °C)
12.5. Other adverse effects	
Effect on ozone layer	:
Effect on the global warming	: No known ecological damage caused by this product.
Other information	: Avoid release to the environment.
SECTION 13: Disposal consider	ations
13.1. Waste treatment methods	
Naste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport informa	tion
n accordance with DOT	
Not regulated for transport	
Additional information	
Other information	: No supplementary information available.
	. No supplementary information available.
ADR	
No additional information available	
Transport by sea	
No additional information available	
28/04/2016	EN (Englich LIS)
08/04/2016	EN (English US) 5/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport	
No additional information available	
SECTION 15: Regulatory information	
I5.1. US Federal regulations	
151, DURAGLOSS FIBERGLASS POLISH & CLEANER	
Not listed on the United States TSCA (Toxic Substances Control Act) inventory	
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
E.O. International regulations	
15.2. International regulations CANADA	
No additional information available	
EU-Regulations	
No additional information available	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Not classified	

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

15.3. US State regulations

SECTION 16: Other information	
Revision date	: 05/28/2015
Other information	: None.

Full tex	t of	Н-р	hrases:

Asp. Tox. 1	Aspiration hazard Category 1
Flam. Liq. 4	Flammable liquids Category 4
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H372	Causes damage to organs through prolonged or repeated exposure

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product