

2995 TRACK CLAW TIRE STRENGTHENER (TEMP. RANGE 130.0 - 230.0 F)

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 05/29/2015

SECTION 1: Identification of the substa	nce/mixture and of the company/u	Indertaking			
1.1. Product identifier		5			
Product form : M	<i>l</i> ixture				
Product name : 2	995 TRACK CLAW TIRE STRENGTHENER	(TEMP. RANG	E 130.0 - 230.0 F)		
Product code : 2	995 Gal				
1.2. Relevant identified uses of the substance	e or mixture and uses advised against				
1.3. Details of the supplier of the safety data	sheet				
Brothers Research Corporation 2245 Airpark Drive Burlington, NC 27216 T 336-229-6480					
1.4. Emergency telephone number					
- 5 - 5	00-424-9300 Chemtrec				
SECTION 2: Hazards identification					
2.1. Classification of the substance or mixtu	e .				
Classification (GHS-US)					
Flam. Liq. 4					
Full text of H-phrases: see section 16					
2.2. Label elements					
GHS-US labeling	Mana in a				
nal word (GHS-US) : Warning					
F F e F	 P210 - Keep away from open flames, sparks No smoking P280 - Wear protective clothing P370+P378 - In case of fire: Use carbon dioxide (CO2), dry extinguishing powder, foam to extinguish P403+P235 - Store in a well-ventilated place. Keep cool P501 - Dispose of contents/container to an authorized waste collection point 				
2.3. Other hazards					
No additional information available					
2.4. Unknown acute toxicity (GHS-US)					
Not applicable					
SECTION 3: Composition/information or	n ingredients				
3.1. Substance					
Not applicable					
3.2. Mixture					
Name	Product identifier	%	Classification (GHS-US)		
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2 aromatics	% (CAS No) 64742-47-8	<= 90	Flam. Liq. 4, H227 Asp. Tox. 1, H304		
Full text of H-phrases: see section 16			·		
SECTION 4: First aid measures					
4.1. Description of first aid measures					
	Remove the victim into fresh air. If not breathi nedical advice/attention.	ng give artificial	respiration. Get immediate		
First-aid measures after skin contact : F	Remove/Take off immediately all contaminate ritation or rash occurs: Get medical advice/a		h with water and soap. If skin		
05/12/2016 EN	I (English US)		Page 1		

2995 TRACK CLAW TIRE STRENGTHENER (TEMP. RANGE 130.0 - 230.0 F)

	act : Rinse immediately with plenty of water for 15 minutes. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	
4.2. Most important sympt	toms and effects, both acute and delayed
No additional information available	le
4.3. Indication of any imm	ediate medical attention and special treatment needed
No additional information available	le
SECTION 5: Firefighting	measures
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry chemical powder. Foam.
5.2. Special hazards arisin	ng from the substance or mixture
Fire hazard	: Combustible. Material presenting a fire hazard.
5.3. Advice for firefighters	
No additional information available	
SECTION 6: Accidental re	
	, protective equipment and emergency procedures
General measures	: No flames, no sparks. Eliminate all sources of ignition. Absorb spill on vermiculite floor
	absorbent or other absorbent material.
6.1.1. For non-emergency po	erennel
Protective equipment	: Protective clothing. Protective goggles.
6.1.2. For emergency respon	
No additional information available	e
6.2. Environmental precau	utions
Avoid release to the environment.	
6.3. Methods and material	l for containment and cleaning up
For containment	 Transfer contaminated absorbent, soil and othe material to containers for disposal. Close container tightly and dispose of properly.
Methods for cleaning up	: Absorb spillage to prevent material damage.
	ctions
6.4. Reference to other see	
	le
No additional information available	
No additional information available SECTION 7: Handling and	d storage
No additional information available SECTION 7: Handling and 7.1. Precautions for safe h	d storage
No additional information available SECTION 7: Handling and 7.1. Precautions for safe h Additional hazards when processe	d storage nandling ed : Containers of this material may be hazardous when empited. All hazard precautions give
No additional information available SECTION 7: Handling and 7.1. Precautions for safe h Additional hazards when processed Precautions for safe handling	d storage handling ied : Containers of this material may be hazardous when empited. All hazard precautions give should be observed. : All 5 gallon and larger metal containers hsould be grounded or bonded when material is
No additional information available SECTION 7: Handling and 7.1. Precautions for safe h Additional hazards when processed Precautions for safe handling 7.2. Conditions for safe st	d storage nandling sed : Containers of this material may be hazardous when empited. All hazard precautions give should be observed. : All 5 gallon and larger metal containers hsould be grounded or bonded when material is transferred.
No additional information available SECTION 7: Handling and 7.1. Precautions for safe h Additional hazards when processo Precautions for safe handling 7.2. Conditions for safe sto Storage conditions	d storage nandling ied : Containers of this material may be hazardous when empited. All hazard precautions give should be observed. : All 5 gallon and larger metal containers hsould be grounded or bonded when material is transferred. torage, including any incompatibilities
No additional information available SECTION 7: Handling and 7.1. Precautions for safe h Additional hazards when processed Precautions for safe handling 7.2. Conditions for safe ste Storage conditions Incompatible products	d storage handling led : Containers of this material may be hazardous when empited. All hazard precautions give should be observed. : All 5 gallon and larger metal containers hsould be grounded or bonded when material is transferred. torage, including any incompatibilities : Store in a well-ventilated place. Keep away from heat, sparks, and flames.
No additional information available SECTION 7: Handling and 7.1. Precautions for safe h Additional hazards when processed Precautions for safe handling 7.2. Conditions for safe ste Storage conditions Incompatible products 7.3. Specific end use(s)	d storage handling ied : Containers of this material may be hazardous when empited. All hazard precautions give should be observed. : All 5 gallon and larger metal containers hsould be grounded or bonded when material is transferred. torage, including any incompatibilities : Store in a well-ventilated place. Keep away from heat, sparks, and flames. : Oxidizing agent. Strong acids. Strong bases.
No additional information available SECTION 7: Handling and 7.1. Precautions for safe h Additional hazards when processe Precautions for safe handling 7.2. Conditions for safe ste Storage conditions Incompatible products 7.3. Specific end use(s) No additional information available	d storage handling ied : Containers of this material may be hazardous when empited. All hazard precautions give should be observed. : All 5 gallon and larger metal containers hsould be grounded or bonded when material is transferred. torage, including any incompatibilities : Store in a well-ventilated place. Keep away from heat, sparks, and flames. : Oxidizing agent. Strong acids. Strong bases.
No additional information available SECTION 7: Handling and 7.1. Precautions for safe h Additional hazards when processed Precautions for safe handling 7.2. Conditions for safe store Storage conditions Incompatible products 7.3. Specific end use(s) No additional information available SECTION 8: Exposure co	d storage handling ied : Containers of this material may be hazardous when empited. All hazard precautions give should be observed. : All 5 gallon and larger metal containers hsould be grounded or bonded when material is transferred. torage, including any incompatibilities : Store in a well-ventilated place. Keep away from heat, sparks, and flames. : Oxidizing agent. Strong acids. Strong bases.
No additional information available SECTION 7: Handling and 7.1. Precautions for safe h Additional hazards when processe Precautions for safe handling 7.2. Conditions for safe ste Storage conditions Incompatible products 7.3. Specific end use(s) No additional information available SECTION 8: Exposure co 8.1. Control parameters	d storage handling ied : Containers of this material may be hazardous when empited. All hazard precautions give should be observed. : All 5 gallon and larger metal containers hsould be grounded or bonded when material is transferred. torage, including any incompatibilities : Store in a well-ventilated place. Keep away from heat, sparks, and flames. : Oxidizing agent. Strong acids. Strong bases.

OSHA

Not applicable

2995 TRACK CLAW TIRE STRENGTHENER (TEMP. RANGE 130.0 -230.0 F)

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

hydrocarbons, C11-C14, n-alkan	nes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)	
	ot applicable	
OSHA No	Not applicable	
8.2. Exposure controls		
Appropriate engineering controls	: Ensure good ventilation of the work station.	
Hand protection	: protective gloves.	
Eye protection	: Chemical goggles or safety glasses.	
Skin and body protection	: Protective clothing.	
SECTION 9: Physical and c	hemical properties	
	ysical and chemical properties	
Physical state	: Liquid	
Color	: Mixture contains one or more component(s) which have the following colour(s): Colourless	
Odor	: There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure.	
	Mixture contains one or more component(s) which have the following odour(s): Sweet odour, Paraffin odour	
Odor threshold	: No data available	
pН	: No data available	
Relative evaporation rate (butyl aceta	tate=1) : No data available	
Melting point	: No Data	
Freezing point	: No data available	
Boiling point	: 318 - 383 °F	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapor pressure	: >1	
Relative vapor density at 20 °C	: No data available	
Relative density	: 0.8	
Solubility	 Insoluble in water. Water: Solubility in water of component(s) of the mixture : . 	
Log Pow	: No data available	
Log Kow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Explosive limits	: No data available	
9.2. Other information		
No additional information available		
SECTION 10: Stability and I	reactivity	
10.1. Reactivity No additional information available		
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous	reactions	
No additional information available		

2995 TRACK CLAW TIRE STRENGTHENER (TEMP. RANGE 130.0 -230.0 F)

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Monday,	INIAICH ZO, ZU 127 KUIES ANU REGUIATIONS			
10.4. Conditions to avoid				
No additional information available				
10.5. Incompatible materials				
Oxidizing agent. Strong acids. Strong bases.				
10.6. Hazardous decomposition products				
None Expected.				
SECTION 11: Toxicological informati	ion			
11.1. Information on toxicological effects				
Acute toxicity	: Not classified			
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)				
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Literature)			
Skin corrosion/irritation	: Not classified			
Serious eye damage/irritation	: Not classified			
Respiratory or skin sensitization	: Not classified			
Germ cell mutagenicity	: Not classified			
Carcinogenicity	: Not classified			
Reproductive toxicity	: Not classified			
Specific target organ toxicity (single exposure)	: Not classified			
Specific target organ toxicity (repeated exposure)	: Not classified			
Aspiration hazard	: Not classified			
SECTION 12: Ecological information				
12.1. Toxicity				
hydrocarbons, C11-C14, n-alkanes, isoalkan	es. cvclics. < 2% aromatics (64742-47-8)			
LC50 fish 1	> 100 mg/l (Pisces)			
EC50 Daphnia 1	> 100 mg/l (Invertebrata)			
Threshold limit algae 1	> 100 mg/l (Algae)			
12.2. Persistence and degradability				
hydrocarbons, C11-C14, n-alkanes, isoalkan	Readily biodegradable in water. Adsorbs into the soil.			
	Readily biodegradable in water. Adsorbs into the soli.			
12.3. Bioaccumulative potential				
hydrocarbons, C11-C14, n-alkanes, isoalkan				
Log Pow	6 - 8.2			
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).			
12.4. Mobility in soil				
hydrocarbons, C11-C14, n-alkanes, isoalkan	es, cyclics, < 2% aromatics (64742-47-8)			
Surface tension	0.026 N/m (20 °C)			
12.5. Other adverse effects				
12.5. Other adverse effects Effect on ozone layer	•			
-				
Effect on the global warming	: No known ecological damage caused by this product.			

2995 TRACK CLAW TIRE STRENGTHENER (TEMP. RANGE 130.0 - 230.0 F)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with DOT

Not regulated for transport

Additional information

Other information

: No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

2995 TRACK CLAW TIRE STRENGTHENER (TEMP. RANGE 130.0 - 230.0 F)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

15.3. US State regulations

SECTION 16: Other information

Revision date

: 05/29/2015

Full text of H-phrases:

Asp. Tox. 1	Aspiration hazard Category 1
Flam. Liq. 4	Flammable liquids Category 4
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product