

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 05/28/2015

SECTION 1: Identification of the sub	stance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: 652, DURAGLOSS NO.2 BUFFING & POLISHING AGENT
Product code	: Part# 652 8oz, 653 Gal
1.2. Relevant identified uses of the subs	tance or mixture and uses advised against
1.3. Details of the supplier of the safety	data sheet
Brothers Research Corporation 2245 Airpark Drive Burlington, NC 27216 T 336-229-6480	
1.4. Emergency telephone number	
Emergency number	: 800-424-9300 Chemtrec
SECTION 2: Hazards identification	
2.1. Classification of the substance or m	ixture
Classification (GHS-US)	
Flam. Liq. 4 STOT RE 1	H227 H372
Full text of H-phrases: see section 16	n3/2
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS08
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H227 - Combustible liquid
Dresses there are statements (OLIC LIC)	H372 - Causes damage to organs through prolonged or repeated exposure
Precautionary statements (GHS-US)	: P210 - Keep away from open flames No smoking P260 - Do not breathe dust/fume/gas/mist/vapors/spray
	P264 - Wash thoroughly after handling
	P270 - Do not eat, drink or smoke when using this product P280 - Wear eye protection, face protection, protective clothing, protective gloves
	P314 - Get medical advice/attention if you feel unwell
	P370+P378 - In case of fire: Use foam, dry extinguishing powder, carbon dioxide (CO2) to
	extinguish P403+P235 - Store in a well-ventilated place. Keep cool
	P501 - Dispose of contents/container to an authorized waste collection point
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS-US)	
Not applicable	
SECTION 3: Composition/informatio	n on ingredients
3.1. Substance	
Not applicable	
3.2. Mixture	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name		Product identifier	%	Classification (GHS-US)
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cycl aromatics	lics, < 2%	(CAS No) 64742-47-8	12 - 15	Flam. Liq. 4, H227 Asp. Tox. 1, H304
solvent naphtha(petroleum), medium aliph.		(CAS No) 64742-88-7	3 - 5	STOT RE 1, H372 Asp. Tox. 1, H304
ull text of H-phrases: see section 16				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general		r give anything by mouth to an une e (show the label where possible)	•	f you feel unwell, seek medical
First-aid measures after inhalation		victim to breathe fresh air. Allow		
First-aid measures after skin contact		ove/Take off immediately all conta		inse skin with water/shower.
First-aid measures after eye contact	: Rinse persis	e immediately with plenty of water. st.	Obtain medical att	ention if pain, blinking or redness
First-aid measures after ingestion	: Rinse	mouth. Do NOT induce vomiting.	. Obtain emergency	medical attention.
4.2. Most important symptoms and effe	ects, both	acute and delayed		
Symptoms/injuries	: Not e	xpected to present a significant ha	azard under anticipa	ated conditions of normal use.
4.3. Indication of any immediate medic	al attentio	n and special treatment needed		
No additional information available				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media	: Dry c	hemical powder. Foam. Dry powd	er. Carbon dioxide.	Water spray. Sand.
Unsuitable extinguishing media	: Do no	ot use a heavy water stream.		
5.2. Special hazards arising from the s	ubstance o	or mixture		
Fire hazard		oustible liquid. Flammable liquid a	nd vapor.	
Explosion hazard	: May f	form flammable/explosive vapor-a	ir mixture.	
5.3. Advice for firefighters				
Firefighting instructions		vater spray or fog for cooling expo ical fire. Prevent fire-fighting wate		
Protection during firefighting		contained breathing apparatus. Co r protective equipment, including		lothing. Do not enter fire area withou on.
SECTION 6: Accidental release mea	asures			
6.1. Personal precautions, protective e				
General measures	: Remo smok		care to avoid static o	electric charges. No open flames. No
6.1.1. For non-emergency personnel				
Emergency procedures	: Evac	uate unnecessary personnel.		
6.1.2. For emergency responders				
Protective equipment	: Equip	cleanup crew with proper protect	tion.	
Emergency procedures		ate area.		
6.2. Environmental precautions				
Prevent entry to sewers and public waters. Not	ify authoriti	es if liquid enters sewers or public	waters.	
6.3. Methods and material for containm	nent and c	leaning up		
Methods for cleaning up	: Soak			ous earth as soon as possible. Collec
6.4. Reference to other sections				
See Heading 8. Exposure controls and persona	al protection	٦.		
SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Additional hazards when processed	: Hand	le empty containers with care bec	ause residual vapo	rs are flammable.
	EN1 / E			

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools.
7.2. Conditions for safe sto	prage, including any incompatibilities
Technical measures	 Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/ equipment.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container tightly closed.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure co	ntrols/personal protection
8.1. Control parameters	
652, DURAGLOSS NO.2 BUFF	NG & POLISHING AGENT
ACGIH	Not applicable
OSHA	Not applicable

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)		
ACGIH	Not applicable	
OSHA	Not applicable	

solvent naphtha(petroleum), medium aliph. (64742-88-7)		
ACGIH	Not applicable	
OSHA	Not applicable	

8.2. Exposure controls	
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Respiratory protection	: Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	d chemical properties	
Physical state	: Liquid	
Appearance	: Creamy Liquid.	
Color	: Pink/Tan	
Odor	: Sweet	
Odor threshold	: No data available	
PH	: 7-8	
Relative evaporation rate (butyl acetate=1)	: No data available	
Melting point	: No Data	
Freezing point	: No data available	
Boiling point	: 370 - 550 °F .0 F @ 760 mmHg	
Flash point	: ≈ 108 °F	
Auto-ignition temperature	: 420 °F	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapor pressure	: < 1 mm Hg @ 77.0 F	
Relative vapor density at 20 °C	: No data available	
09/28/2015	EN (English US)	3/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	:	0.98 @ 68.0 F
Solubility	:	Water: < 0.01
Log Pow	:	No data available
Log Kow	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Explosive limits	:	No data available

9.2. Other information

No additional information available

SECT	ON 10	Stability	and rea	ctivity
		otability		Clivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions. Flammable liquid and vapor. May form flammable/explosive vapor-air mixture.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)				
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Literature)			
solvent naphtha(petroleum), medium aliph. (64742-88-7)				
LD50 oral rat	> 5000 mg/kg body weight (Rat; Equivalent or similar to OECD 420; Experimental value)			
LD50 dermal rabbit	> 2000 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402	2)		
Skin corrosion/irritation	: Not classified			
	pH: 7 - 8			
Serious eye damage/irritation	: Not classified			
	pH: 7 - 8			
Respiratory or skin sensitization	: Not classified			
Germ cell mutagenicity	: Not classified			
Carcinogenicity	: Not classified			
Reproductive toxicity	: Not classified			
Specific target organ toxicity (single exposure)	: Not classified			
Specific target organ toxicity (repeated exposure)	: Causes damage to organs through prolonged or repeated exposure.			
Aspiration hazard	: Not classified			
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.			
09/28/2015	EN (English US)	4/6		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information

12.1. Toxicity

hydrocorbona C11 C14 n alkanaa jaa	(47742, 47.9)
• • • •	palkanes, cyclics, < 2% aromatics (64742-47-8)
LC50 fish 1	> 100 mg/l (Pisces)
EC50 Daphnia 1	> 100 mg/l (Invertebrata)
Threshold limit algae 1	> 100 mg/l (Algae)
solvent naphtha(petroleum), medium a	
LC50 fish 1	2 - 5 mg/l (LL50; OECD 203: Fish, Acute Toxicity Test; 96 h; Oncorhynchus mykiss; Semi- static system; Fresh water; Experimental value)
EC50 Daphnia 1	1.4 mg/l (EL50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
Threshold limit algae 1	1 - 3,EL50; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Experimental value
12.2. Persistence and degradability	
652, DURAGLOSS NO.2 BUFFING & PC	DLISHING AGENT
Persistence and degradability	Not established.
hydrocarbons, C11-C14, n-alkanes. iso	palkanes, cyclics, < 2% aromatics (64742-47-8)
Persistence and degradability	Readily biodegradable in water. Adsorbs into the soil.
solvent naphtha(petroleum), medium a	alinh (64742-88-7)
Persistence and degradability	Readily biodegradable in water. Adsorbs into the soil.
5,	
2.3. Bioaccumulative potential	
652, DURAGLOSS NO.2 BUFFING & PO	
Bioaccumulative potential	Not established.
hydrocarbons, C11-C14, n-alkanes, iso	palkanes, cyclics, < 2% aromatics (64742-47-8)
Log Pow	6 - 8.2
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).
solvent naphtha(petroleum), medium a	ıliph. (64742-88-7)
Bioaccumulative potential	No bioaccumulation data available.
12.4. Mobility in soil	
•	balkanes, cyclics, < 2% aromatics (64742-47-8)
Surface tension	0.026 N/m (20 °C)
12.5. Other adverse effects	
Effect on ozone layer	· ·
2	
Effect on the global warming	: No known ecological damage caused by this product.
Other information	: Avoid release to the environment.
SECTION 13: Disposal consider	ations
I3.1. Waste treatment methods	
Naste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to
Additional information	: Handle empty containers with care because residual vapors are flammable.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport informa	tion
n accordance with DOT	
Not regulated for transport	
Additional information	

: No supplementary information available.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

652, DURAGLOSS NO.2 BUFFING & POLISHING AGENT

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

15.2.2. National regulations

15.3. US State regulations

SECTION 16: Other infor	mation	
Revision date	: 05/28/2015	
Other information	: None.	

Full text of H-phrases:

Asp. Tox. 1	Aspiration hazard Category 1
Flam. Liq. 4	Flammable liquids Category 4
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H372	Causes damage to organs through prolonged or repeated exposure

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product