

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 05/28/2015

SECTION 1: Identification of the	substance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: 881, DURAGLOSS METAL POLISH (CREAM)
Product code	: Part #881 12oz
1.2. Relevant identified uses of the s	substance or mixture and uses advised against
1.3. Details of the supplier of the saf	ety data sheet
Brothers Research Corporation 2245 Airpark Drive Burlington, NC 27216 T 336-229-6480	
1.4. Emergency telephone number	
Emergency number	: 800-424-9300 Chemtrec
SECTION 2: Hazards identificatio	n
2.1. Classification of the substance of	or mixture
Classification (GHS-US)	
Flam. Liq. 3	H226
Skin Irrit. 2 Eve Dam. 1	H315 H318
Full text of H-phrases: see section 16	11510
2.2. Label elements	
GHS-US labeling	
	GHS02 GHS05
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H226 - Flammable liquid and vapor H315 - Causes skin irritation H318 - Causes serious eye damage
Precautionary statements (GHS-US)	 P210 - Keep away from open flames No smoking P233 - Keep container tightly closed P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P264 - Wash hands, forearms and face thoroughly after handling P280 - Wear protective clothing P302+P352 - If on skin: Wash with plenty of protective clothing P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a doctor, a POISON CENTER P321 - Specific treatment (see protective clothing on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse P370+P378 - In case of fire: Use carbon dioxide (CO2), dry extinguishing powder, foam to extinguish P403+P235 - Store in a well-ventilated place. Keep cool P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS-U	S)			
lot applicable	0)			
ECTION 3: Composition/informa	ation on in	aredients		
.1. Substance		5		
lot applicable				
.2. Mixture				
Name		Product identifier	%	Classification (GHS-US)
solvent naphtha(petroleum), medium aliph.		(CAS No) 64742-88-7	7 - 9	STOT RE 1, H372 Asp. Tox. 1, H304
hydrocarbons, C11-C14, n-alkanes, isoalkanes, o aromatics	cyclics, < 2%	(CAS No) 64742-47-8	9 - 9	Flam. Liq. 4, H227 Asp. Tox. 1, H304
ammonium hydroxide, 5%<=conc<10%, aqueous	solution	(CAS No) 1336-21-6	1 - 3	Skin Corr. 1B, H314 Aquatic Acute 1, H400
ull text of H-phrases: see section 16				
ECTION 4: First aid measures				
.1. Description of first aid measure	-			
irst-aid measures general		r give anything by mouth to an u e (show the label where possible		f you feel unwell, seek medical
irst-aid measures after inhalation	: Allow	victim to breathe fresh air. Allow	v the victim to rest.	
irst-aid measures after skin contact	with p	ove/Take off immediately all con olenty of soap and water. Wash s: Get medical advice/attention.	contaminated clothing	
irst-aid measures after eye contact	: Rinse		al minutes. Remove o	contact lenses, if present and easy to
irst-aid measures after ingestion	: Rinse	e mouth. Do NOT induce vomitin	g. Obtain emergency	medical attention.
.2. Most important symptoms and e	effects, both	acute and delayed		
Symptoms/injuries after skin contact	: Caus	es skin irritation.		
ymptoms/injuries after eye contact	: Caus	es serious eye damage.		
.3. Indication of any immediate med	dical attentio	n and special treatment neede	ed	
SECTION 5: Firefighting measure	e			
.1. Extinguishing media	5			
Suitable extinguishing media	· Foar	n. Dry powder. Carbon dioxide. V	Vater spray Sand	
Insuitable extinguishing media		ot use a heavy water stream.	rator opray: cana.	
.2. Special hazards arising from the		-		
ire hazard		mable liquid and vapor.		
Explosion hazard		form flammable/explosive vapor-	-air mixture.	
.3. Advice for firefighters	- J	, ··· · · · · · · · · · · · · · · · · ·		
irefighting instructions		vater spray or fog for cooling ex ical fire. Prevent fire-fighting wa		ercise caution when fighting any
Protection during firefighting		00	U U	, including respiratory protection.
ECTION 6: Accidental release m	easures			
.1. Personal precautions, protective	e equipment	and emergency procedures		
General measures	: Remo smok		I care to avoid static	electric charges. No open flames. No
5.1.1. For non-emergency personnel Emergency procedures	: Evac	uate unnecessary personnel.		
6.1.2. For emergency responders Protective equipment	: Equip	cleanup crew with proper prote	ction.	
		alish (JS)		2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. N	lotify authorities if liquid enters sewers or public waters.
6.3. Methods and material for contai	nment and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and perso	onal protection.
SECTION 7: Handling and storage	e
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools.
Hygiene measures	: Wash thoroughly after handling.
7.2. Conditions for safe storage, incl	uding any incompatibilities
Technical measures	 Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/ equipment.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container tightly closed.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.
7.3. Specific end use(s)	
No additional information available	

SECTION 8: Exposure controls/personal protection 8.1. **Control parameters** 881, DURAGLOSS METAL POLISH (CREAM) ACGIH Not applicable OSHA Not applicable ammonium hydroxide, 5%<=conc<10%, aqueous solution (1336-21-6) ACGIH ACGIH TWA (ppm) 25 ppm ACGIH ACGIH STEL (ppm) 25 ppm OSHA Not applicable solvent naphtha(petroleum), medium aliph. (64742-88-7) ACGIH Not applicable OSHA Not applicable hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8) ACGIH Not applicable OSHA Not applicable 8.2. **Exposure controls** Personal protective equipment : Avoid all unnecessary exposure. Hand protection : Wear protective gloves

Eye protection: Chemical goggles or safety glasses.Skin and body protection: Wear suitable protective clothing.Respiratory protection: Wear appropriate mask.Other information: Do not eat, drink or smoke during use.06/15/2016EN (English US)		. Wear protective gloves.
Respiratory protection: Wear appropriate mask.Other information: Do not eat, drink or smoke during use.	Eye protection	: Chemical goggles or safety glasses.
Other information : Do not eat, drink or smoke during use.	Skin and body protection	: Wear suitable protective clothing.
	Respiratory protection	: Wear appropriate mask.
06/15/2016 EN (English US)	Other information	: Do not eat, drink or smoke during use.
	06/15/2016	EN (English US)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical		
9.1. Information on basic physical and		
Physical state	: Liquid	
Appearance	: Viscous Cream.	
Color	: Creamy white	
Odor	: Sweet	
Odor threshold	: No data available	
pH	: 10 - 11	
Relative evaporation rate (butyl acetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: 370 - 550 °F F @ 760 mmHg	
Flash point	: 108 °F	
Auto-ignition temperature	: 420 °F	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapor pressure	: < 1 mm Hg	
Relative vapor density at 20 °C	: No data available	
Relative density	: 1 H20 <1	
Solubility	: Water: < 0.01	
Log Pow	: No data available	
Log Kow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Explosive limits	: No data available	
9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivit	у	
10.1. Reactivity		
No additional information available		
10.2. Chemical stability		
Flammable liquid and vapor. May form flammable/explosive vapor-air mixture.		

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

solvent naphtha(petroleum), medium aliph. (64742-88-7)		
LD50 oral rat	> 5000 mg/kg body weight (Rat; Equivalent or similar to OECD 420; Experimental value)	
LD50 dermal rabbit	> 2000 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402)	
-		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)		
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Literature)	
Skin corrosion/irritation	: Causes skin irritation.	
	pH: 10 - 11	
Serious eye damage/irritation	: Causes serious eye damage.	
	pH: 10 - 11	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Not classified	
Specific target organ toxicity (repeated	: Not classified.	
exposure)		
Aspiration hazard	: Not classified	
Potential Adverse human health effects and	: Based on available data, the classification criteria are not met.	
symptoms		
Symptoms/injuries after skin contact	: Causes skin irritation.	
Symptoms/injuries after eye contact	: Causes serious eye damage.	
· · · ·		

SECTION 12: Ecological information

12.1. Toxicity

solvent naphtha(petroleum), medium	aliph. (64742-88-7)
LC50 fish 1	2 - 5 mg/l (LL50; OECD 203: Fish, Acute Toxicity Test; 96 h; Oncorhynchus mykiss; Semi- static system; Fresh water; Experimental value)
EC50 Daphnia 1	1.4 mg/l (EL50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
Threshold limit algae 1	1 - 3,EL50; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Experimental value
hydrocarbons, C11-C14, n-alkanes, is	oalkanes, cyclics, < 2% aromatics (64742-47-8)
LC50 fish 1	> 100 mg/l (Pisces)
EC50 Daphnia 1	> 100 mg/l (Invertebrata)
Threshold limit algae 1	> 100 mg/l (Algae)
2.2. Persistence and degradability	,
881, DURAGLOSS METAL POLISH (C	REAM)
Persistence and degradability	Not established.
ammonium hydroxide, 5%<=conc<10	%, aqueous solution (1336-21-6)
Persistence and degradability	Readily biodegradable in water. Ozonation in water. Biodegradable in the soil. No (test)data on mobility of the components available. Ozonation in the air.
solvent naphtha(petroleum), medium	aliph. (64742-88-7)
Persistence and degradability	Readily biodegradable in water. Adsorbs into the soil.
hydrocarbons, C11-C14, n-alkanes, is	oalkanes, cyclics, < 2% aromatics (64742-47-8)
Persistence and degradability	Readily biodegradable in water. Adsorbs into the soil.
2.3. Bioaccumulative potential	
881, DURAGLOSS METAL POLISH (C	REAM)
Bioaccumulative potential	Not established.
ammonium hydroxide, 5%<=conc<10	%, aqueous solution (1336-21-6)
Log Pow	-1.3
Bioaccumulative potential	Bioaccumulation: not applicable.
06/15/2016	EN (English US) 5/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

solvent naphtha(petroleum), medium a	liph. (64742-88-7)
Bioaccumulative potential	No bioaccumulation data available.
hydrocarbons, C11-C14, n-alkanes, iso	balkanes, cyclics, < 2% aromatics (64742-47-8)
Log Pow	6-8.2
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).
12.4. Mobility in soil	
hvdrocarbons, C11-C14, n-alkanes, iso	palkanes, cyclics, < 2% aromatics (64742-47-8)
Surface tension	0.026 N/m (20 °C)
12.5. Other adverse effects	
Effect on ozone layer	:
Effect on the global warming	: No known ecological damage caused by this product.
Other information	: Avoid release to the environment.
SECTION 13: Disposal consideration	ations
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of
	contents/container to
Additional information	: Handle empty containers with care because residual vapors are flammable.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	tion
In accordance with DOT	
Not regulated for transport	
Additional information	
Other information	: No supplementary information available.
ADR	
No additional information available	
Transport by sea	
No additional information available	
Air transport	
No additional information available	
	ation
SECTION 15: Regulatory informations	
881, DURAGLOSS METAL POLISH (CR Not listed on the United States TSCA (To:	
hydrocarbons, C11-C14, n-alkanes, iso	palkanes, cyclics, < 2% aromatics (64742-47-8)
Listed on the United States TSCA (Toxic	Substances Control Act) inventory
15.2. International regulations	
CANADA	
No additional information available	
EU-Regulations	
No additional information available	

Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

15.3. US State regulations

SECTION 16: Other information	
Revision date	: 05/28/2015
Other information	: None.

Full text of H-phrases:

lext of n-phrases.	
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Asp. Tox. 1	Aspiration hazard Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Liq. 3	Flammable liquids Category 3
Flam. Liq. 4	Flammable liquids Category 4
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
H226	Flammable liquid and vapor
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product