

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 05/28/2015

SECTION 1: Identification of the su	ubstance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: 921, DURAGLOSS FAST CLEAN & SHINE
Product code	: 921-22oz, 923-gal
1.2. Relevant identified uses of the su	bstance or mixture and uses advised against
1.3. Details of the supplier of the safet	ty data sheet
Brothers Research Corporation 2245 Airpark Drive Burlington, NC 27216 T 336-229-6480	
1.4. Emergency telephone number	
Emergency number	: 800-424-9300 Chemtrec
SECTION 2: Hazards identification	
2.1. Classification of the substance or	mixture
Classification (GHS-US)	
Eye Irrit. 2A	H319
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS07
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H319 - Causes serious eye irritation
Precautionary statements (GHS-US)	 P264 - Wash thoroughly after handling P280 - Wear protective gloves/protective clothing/eye protection/face protection P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS-US)	
Not applicable	
SECTION 3: Composition/informat	ion on ingredients
3.1. Substance	
Not applicable	
3.2. Mixture	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification (GHS-US)
1-propanol	(CAS No) 71-23-8	1 - 2	Flam. Liq. 2, H225 Eye Dam. 1, H318 STOT SE 3, H336

Full text of H-phrases: see section 16	
--	--

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Do NOT induce vomiting. Immediately call a poison center or doctor/physician. Rinse mouth. Obtain emergency medical attention.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
4.3. Indication of any immediate medic	al attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Carbon dioxide. Dry chemical powder. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the su	ubstance or mixture
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Complete protective clothing. Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release mea	asures
6.1. Personal precautions, protective e	guipment and emergency procedures
General measures	: Absorb spillage to prevent material damage.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
	······································
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Noti	ify authorities if liquid enters sewers or public waters.
6.3. Methods and material for containm	ient and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Absorb spillage to prevent material damage. This material and its container must be disposed of in a safe way, and as per local legislation. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

Safety Data Sheet

Safety Data Sheet	ol. 77, No. 58 / Monday, N	larch 26, 2012 / Rules and Regulations	
SECTION 7: Handling	g and storage		
7.1. Precautions for s	afe handling		
Precautions for safe handlin	g		s with mild soap and water before eating, drinking or vide good ventilation in process area to prevent formation
.2. Conditions for sa	afe storage, including	any incompatibilities	
Storage conditions			only in the original container in a cool, well ventilated iginal container in a cool, well ventilated place away from : se.
ncompatible products		: Strong bases. Strong acids.	
ncompatible materials		: Sources of ignition. Direct sunlight.	
7.3. Specific end use	(s)		
lo additional information av	ailable		
SECTION 8: Exposur	e controls/perso	nal protection	
8.1. Control parameter	ers		
921, DURAGLOSS FAST			
ACGIH	Not applicable		
OSHA	Not applicable		
1-propanol (71-23-8)			
ACGIH	ACGIH TWA (pp	m)	100 ppm
ACGIH	ACGIH STEL (p	om)	100 ppm
ACGIH	Remark (ACGIH)	Eye & URT irr
OSHA	OSHA PEL (TW)	A) (mg/m³)	500 mg/m ³
OSHA	OSHA PEL (TW	A) (ppm)	200 ppm
3.2. Exposure contro	le		
Personal protective equipme		: Avoid all unnecessary exposure.	
land protection		: Wear protective gloves.	
ye protection		: Chemical goggles or safety glasses.	
Respiratory protection		: Wear appropriate mask.	
Other information		: Do not eat, drink or smoke during use	<u>.</u>
SECTION 9: Physical	and chemical pr	operties	
	asic physical and ch		
Physical state		: Liquid	
ppearance		: Blue Liquid.	
Color		: Blue	
)dor)dor threshold		: Sweet : No data available	
H		: 3 - 4	
Relative evaporation rate (b		No data available	
Alting point	, , , , , , , , , , , , , , , , , , ,	: < 196.6 °F	
Freezing point		: No data available	
Boiling point		: 206.6 °F	
Flash point		: > 160 °F	
• • • • • •			

: NA

: No data available

: No data available

: No data available

: ≤ 68 mbar .0 F @ 19.29 MBAR (14.5 mmHg)

Auto-ignition temperature

Flammability (solid, gas)

Vapor pressure

Decomposition temperature

Relative vapor density at 20 °C

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: 0.804 @ 68.0 F
Solubility	 Soluble in water. Water: Solubility in water of component(s) of the mixture : .
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available
9.2. Other information	

No additional information available

SECT	ON 10: Stability and reactivity
SECT	
10.1.	Reactivity
No addi	tional information available
10.2.	Chemical stability
Stable ι	inder normal conditions. Not established.
10.3.	Possibility of hazardous reactions
Not esta	blished.
10.4.	Conditions to avoid
Direct s	unlight. Extremely high or low temperatures.
10.5.	Incompatible materials
Strong a	acids. Strong bases.
10.6.	Hazardous decomposition products
fume. C	arbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

Information on toxicological effects 11.1.

Acute toxicity

: Not classified

1-propanol (71-23-8)		
LD50 oral rat	> 2000 mg/kg (Rat)	
LD50 dermal rabbit	4049 mg/kg (Rabbit)	
LC50 inhalation rat (mg/l)	9.8 mg/l/4h (Rat)	
ATE US (dermal)	4049.000 mg/kg body weight	
ATE US (vapors)	9.800 mg/l/4h	
ATE US (dust, mist)	9.800 mg/l/4h	
Skin corrosion/irritation	: Not classified	
	pH: 3 - 4	
Serious eye damage/irritation	: Causes serious eye irritation.	
	pH: 3 - 4	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Not classified	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	
09/29/2015	EN (English US)	4/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Potential Adverse human health effects and symptoms

: Based on available data, the classification criteria are not met.

12.1. Toxicity

1-propanol (71-23-8)		
LC50 fish 1	3200 mg/l 48 h; Salmo gairdneri (Oncorhynchus mykiss)	
EC50 Daphnia 1	4415 mg/l (24 h; Daphnia magna)	
EC50 other aquatic organisms 1	4168 mg/l (48 h; Protozoa)	
LC50 fish 2	4480 mg/l (96 h; Pimephales promelas)	
EC50 Daphnia 2	3644 mg/l (48 h; Daphnia magna)	
TLM fish 1	200 - 500,Gobio gobio	
TLM other aquatic organisms 1	100 - 1000,96 h	
Threshold limit algae 1	2000 mg/l (Selenastrum capricornutum)	
Threshold limit algae 2	3100 mg/l (168 h; Scenedesmus quadricauda)	

12.2. Persistence and degradability

921, DURAGLOSS FAST CLEAN & SHINE	
Persistence and degradability	Not established.
1-propanol (71-23-8)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions.
Biochemical oxygen demand (BOD)	0.47 - 1.63 g O₂/g substance
Chemical oxygen demand (COD)	2.23 g O₂/g substance
ThOD	2.4 g O₂/g substance
BOD (% of ThOD)	0.20 - 0.44 % ThOD

921, DURAGLOSS FAST CLEAN & SHINE Bioaccumulative potential Not established. 1-propanol (71-23-8) Log Pow 0.25 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).</td>

12.4. Mobility in soil

1-propanol (71-23-8)	
Surface tension	0.024 N/m (20 °C)
12.5. Other adverse effects	
Effect on ozone layer	:
Effect on the global warming	: No known ecological damage caused by this product.
Other information	: Avoid release to the environment.

SECTIO	SECTION 13: Disposal considerations						
13.1.	Waste treatment methods						
Waste disposal recommendations		: Dispose in a safe manner in accordance with local/national regulations.					
Ecology - waste materials		: Avoid release to the environment.					

SECTION 14: Transport information					
In accordance with DOT					
Not regulated for transport					
Additional information					
Other information	: No supplementary information available.				

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

921, DURAGLOSS FAST CLEAN & SHINE

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

1-propanol (71-23-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

15.2.2. National regulations

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

1-propanol (71-23-8)				
U.S New Jersey - Right to Know Hazardous Substance List				
SECTION 16: Other information				

Revision date	:	05/28/2015
Other information	:	None.

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 2	Flammable liquids Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H318	Causes serious eye damage
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product